SUBCHAPTER I—CARGO AND MISCELLANEOUS VESSELS

PART 90—GENERAL PROVISIONS

Subpart 90.01—Authority and Purpose

Sec

90.01-1 Purpose of regulations.

90.01-7 Right of appeal.

90.01-15 OMB control numbers assigned pursuant to the Paperwork Reduction Act.

Subpart 90.05—Application

90.05-1 Vessels subject to requirements of this subchapter.

90.05-5 Specific application noted in text.

90.05-7 Ocean or unlimited coastwise vessels on inland and Great Lakes routes. 90.05-10 Application to vessels on an inter-

national vovage. 90.05-20 Applicability to offshore supply vessels.

90.05-25 Seagoing barge.

90.05-35 Flammable and combustible liquid cargo in bulk.

Subpart 90.10—Definition of Terms Used in This Subchapter

90.10-1 Anniversary date.

90.10-2 Approved.

90.10-3 Barge.

90.10-5 Carrying freight for hire.

90.10-7Commandant.

90.10-9 Coast Guard District Commander.

90.10-11 Coastwise.

90.10-12 Gas free

90.10-13 Great Lakes.

90.10-14 Headquarters. 90.10-15 Industrial personnel.

90.10-16 Industrial vessel.

90.10-19 Lakes, bays, and sounds.

90.10-20 Liftboat.

90.10-21 Marine inspector or inspector.

90.10-23 Motorboat.

90.10-25 Ocean.

90.10-27 Officer in Charge, Marine Inspection (OCMI).

90.10-29 Passenger. 90.10-30 Pilot boarding equipment and point of access.

90.10-33 Rivers.

90.10-35 Recognized classification society.

90.10-36 Seagoing barge.

90.10-37 Vessel.

90.10-38 Specially suitable for vehicles.

90.10-40 Offshore supply vessels.

90.10-42 Tankerman

Subpart 90.15—Equivalents

90.15-1 Conditions under which equivalents may be used.

Subpart 90.20—General Marine **Engineering Requirements**

90.20-1 Marine engineering details.

Subpart 90.25—General Electrical **Engineering Requirements**

90.25-1 Electrical engineering details.

Subpart 90.27—Lifesaving Appliances and Arrangements

90.27-1 Lifesaving appliances and arrangements.

Subpart 90.35—American Bureau of Shipping's Standards

90.35-1 Standards to be used.

90.35–5 Where obtainable.

AUTHORITY: 46 U.S.C. 3306, 3703; Pub.L 103-206, 107 Stat. 2439; 49 U.S.C. 5103, 5106; E.O. 12234, 45 FR 58801, 3 CFR, 1980 Comp., p. 277; 49 CFR 1.46.

Source: CGFR 65-50, 30 FR 16970, Dec. 30, 1965, unless otherwise noted.

Subpart 90.01—Authority and **Purpose**

§ 90.01-1 Purpose of regulations.

The purpose of the regulations in this subchapter is to set forth uniform minimum requirements for cargo and miscellaneous vessels, as listed in Column 5 of table 90.05-1(a).

[CGD 95-028, 62 FR 51205, Sept. 30, 1997]

§ 90.01-7 Right of appeal.

Any person directly affected by a decision or action taken under this subchapter, by or on behalf of the Coast Guard, may appeal therefrom in accordance with subpart 1.03 of this chap-

[CGD 88-033, 54 FR 50380, Dec. 6, 1989]

§90.01-15 OMB control numbers assigned pursuant to the Paperwork Reduction Act.

(a) Purpose. This section collects and displays the control numbers assigned to information collection and recordkeeping requirements in this subchapter by the Office of Management

and Budget (OMB) pursuant to the Paperwork Reduction Act of 1980 (44 U.S.C. 3501 et seq.). The Coast Guard intends that this section comply with the requirements of 44 U.S.C. 3507(f), which requires that agencies display a current control number assigned by the Director of the OMB for each approved agency information collection requirement.

(b) Display.

46 CFR part or section where identified or described	Current OMB control No.
\$91.27-13	2115–0517
\$91.40-3	2115–0554
\$91.40-5	2115–0554
\$97.15-7	2115–0589
\$97.15-17	2115–0589

[CGD 88-072, 53 FR 34297, Sept. 6, 1988, as amended by CGD 82-004a, 55 FR 2525, Jan. 25, 1990; CGD 89-037, 57 FR 41822, Sept. 11, 1992]

Subpart 90.05—Application

§ 90.05-1 Vessels subject to requirements of this subchapter.

(a) This subchapter is applicable to all U.S.-flag vessels indicated in Column 4 of Table 90.05–1(a) and to all such foreign-flag vessels which carry 12 or fewer passengers from any port in the United States to the extent prescribed by law, except as follows:

- (1) Any vessel of a foreign nation signatory to the International Convention for Safety of Life at Sea, 1974, and which has on board a current, valid safety equipment certificate.
- (2) Any vessel operating exclusively on inland waters which are not navigable waters of the United States.
- (3) Any vessel while laid up and dismantled and out of commission.
- (4) With the exception of vessels of the U.S. Maritime Administration, any vessel with title vested in the United States and which is used for public purposes
- (b) Notwithstanding the exception previously noted in paragraph (a)(1) of this section, foreign vessels of novel design or construction or whose operation involves potential unusual risks shall be subject to inspection to the extent necessary to safeguard life and property in United States ports, as further provided by §2.01–13 of subchapter A (Procedures Applicable to the Public) of this chapter.
- (c) Notwithstanding the exception noted in paragraph (a)(1) of this section, each foreign vessel shall report marine casualties occurring while the vessel is in the navigable waters of the United States as required by Subpart 97.07.

Table 90.05-1(a)

Meth	Method of		Vessels inspected and certificated under-		Vessels subje	Vessels subject to the provisions of-	sions of
propuls qualifie size or other limitati	propulsion, qualified by size or other limitation.1	Subchapter DTank Vessels. ²	Subchapter H-Passenger Vessels ^{2, 3, 4, and 5} or Subchapter K or TSmall Passenger Vessels. ^{2, 3, and 4}	Subchapter I Cargo and Miscellaneous Vessels. ^{2 and 5}	Subchapter C Uninspected Vessels. 3, 8, 7, and 8	Subchapter U—Ocean- ographic Vessels. ^{2, 3,} 6, 7, and 9	Subchapter OCertain Bulk and Dangerous Cargoes.
ပိ	Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7
ε	Motor, all all all all all all all all all al	All vessels combustible or flammable ilquid cargo in bulk.	i) All vessels carrying more than 12 passengers on an international voyage, except recreational vessels not engaged in trade. A) Carry more than 6 passengers-for-hire whether chartered or not, or any more than 6 passengers when chartered with the crew provided, or crew provided, or crew provided, or crew provided or crew provided. O) Carry at least 1 passenger-for-hire and is a submersible vessel. Iii) All vessels ≥ 100 gross tons that- A) Carry more than 12 passengers-for-hire whether chartered or not, or a submersible vessel. Iii) All vessels ≥ 100 gross tons that- A) Carry more than 12 passengers when chartered with the crew provided, or crew provided, or 0; Carry more than 12 passengers when chartered with no crew provided, or 0. Carry more than 12 passengers when chartered with no crew provided, or 0. Carry more than 12 passenger for-hire and is a submersible vessel. In These regulations do not apply to- A) Recreational vessels not engaged in trade B) Documented cargo or tank vessels issued a permit to carry for fewer presons in addition to the crew or coastivse service, may carry persons on the legitimate business of the passenger.	All vessels > 15 grass tons carrying freight-for-hire, except those columns 2 and 3, and all vessels when carrying dangerous cargoes when carrying dangerous cargoes 46 CFR part 98.	All vessels not covered by columns 2, 3, 4, and 6.	None.	All vessels cargoes in bulk that are listed in part 153, table 4, or unlisted cargoes that would otherwise be subject to these parts."

Table 90.05-1(a) (continued)

Method of		Vessels inspected and certificated under-		Vessels subje	Vessels subject to the provisions of	sions of
propulsion, qualified by size or other limitation. ¹	Subchapter DTank Vessels. ²	Subchapter H-Passenger Vessels ^{2, 3, 4, and 5} or Subchapter K or T-Small Passenger Vessels. ^{2, and} 4	Subchapter I Cargo and Miscellaneous Vessels. ^{2 and 5}	Subchapter C Uninspected Vessels. ^{2, 3, 6, 7} , and 8	Subchapter U—Ocean- ographic Vessels. ^{3,} 6,7, and 9	Subchapter OCertain Bulk and Dangerous Cargoes.
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7
Motor, seagoing motor vessels ≥ 300 gross tons.	All vessels carrying combustible or flammable injurid cargo in bulk.	i) All vessels carrying more than 12 passengers on an international voyage, except recreational vessels not engaged in trade. (ii) These regulations do not apply to— (a) Hecreational vessels not engaged in trade. (b) Documented cargo or tank vessels issued a permit to carry 16 or fewer persons in addition to the crew. (c) Fishing vessels, not engaged in occan or cosastwise service, may carry persons on the teglitmate business of the vesself in addition to the crew, as restricted by the definition of passenger.	All vessels, including recreational recreational vessels not emgaged in trade. This does not include vessels covered by columns 2 and 3, and vessels engaged in the fishing industry.	All vessels not covered by columns 2: 3, 4, 6, and 7.	All vessels engaged in oceanographic research.	All vessels carrying cargoes in bulk that are listed in part 153, table 1, or part 154, table 4, or unisted cargoes that would otherwise be subject to these parts."
Non-self- propelled , vessels < 100 gross tons.	All vessels carrying combustible or flammable liquid cargo in bulk. ³	a) All vessels that— A) Carry more than 6 passengers-for-hire whether A) Carry more than 6 passengers when chartered with the cow provided, or C) Carry more than 12 passengers when chartered with no rew provided, or D) Carry at least 1 passenger-for-hire and is a submersible vessel. C) Carry more than 12 passengers on an international C) Carry more than 12 passengers on an international C) Carry more than 12 passengers on an international	All seagoing barges except those covered by columns 2 and 3.	All barges carrying passengers or passengers or passengers for hire, except those covered by column 3.	None.	All tank barges carrying carrying cargoes listed in Table 151.05 of this chapter or unlisted cargoes that would would subject to part 151, 111 and 1
Non-self- propelled vessels ≥ 100 gross tons.	All vessels carrying carrying combustible or flammable liquid cargo in bulk. ⁵	and All vessels that— A Carry more than 12 passengers-for-hire whether A) Carry more than 12 passengers when chartered with the crew provided, or C) Carry more than 12 passengers when chartered with no crew provided, or D) Carry at least passenger-for-hire and is a submersible vessel, or C) Expry more than 12 passengers on an international C) Expry more than 12 passengers on an international C) Expry more than 12 passengers on an international	All seagoing barges except those covered by columns 2 and 3.	All barges carrying passentgers or passentgers or passentgers or covered by columns 3 and 6.	All seagoing barges engaged in oceanographic research.	All tank barges carrying cargose listed in Table 151.05 of this chapter or unlisted cargoes that would would would subject to part 151, 11, and 121

Table 90.05-1(a) (continued)

sions of	Subchapter OCertain Bulk and Dangerous Cargoes.	Column 7	All vessels carrying carrying carrying carrying carrying carrying carrying carrying that are listed in part 154, table 4, or unlisted carryoes that would carryoes that would would carrying subject to these parts.	All vessels carrying carrying cargoes in bulk that are listed in part 153, table part 154, table 4, or unlisted cargoes that would would subject to these parts.
Vessels subject to the provisions of-	Subchapter U—Ocean- ographic Vessels. ^{3,} 6, 7, and 9	Column 6	None.	None.
Vessels subje	Subchapter C Uninspected Vessels. ^{2, 3, 6, 7,} and 8	Column 5	All vessels not covered by columns 2. 3. 4, and 6.	None.
	Subchapter I Cargo and Miscellaneous Vessels.² and 5	Column 4	Those vessels carrying dangerous carryones when required by 46 CFR part 98.	Those vessels carrying dangerous cargoes when required by 46 CFR part 98.
Vessels inspected and certificated under	Subchapter HPassenger Vessels ^{2,3,4,and 5} or Subchapter K or TSmall Passenger Vessels. ^{2,} 3, and 4	Column 3	in All vessels carrying more than 12 passengers on an international voyage, except recreational vessels not engaged in trade. A) Carry more than 6 passengers-for-hire whether A Carry more than 6 passengers-for-hire whether C) Carry more than 12 passengers when chartered with the Carry context of C) Carry more than 12 passengers when chartered with no crew provided, or D) Carry at least 1 passenger-for-hire and is a submersible vessel. iii) All vessels ≥ 100 gross tons that-A) Carry more than 12 passengers-for-hire whether chartered or not, or B) Carry more than 12 passengers-for-hire whether chartered or not, or D) Carry at least 1 passengers when chartered with the crew provided, or C) Carry more than 12 passengers when chartered with no crew provided, or C) Carry more than 12 passenger when chartered with no crew provided, or C) Carry more than 12 passenger for-hire and is a submersible vessel. (iv) These regulations do not apply to-A) Recreational vessels not engaged in trade. B) Documented cargo of tank vessels issued a permit to carry 16 or fewer persons in addition to the crew. C) Fishing vessels not engaged in caen or coastiving essention, may carry persons on the legitimate business of the vessel in addition to the crew, as restricted by the definition of passenger.	 MI vessels carrying passengers or passengers-for-hire, except recreational vessels.
	Subchapter DTank Vessels. ²	Column 2	All vessels carying carying carying carying carying didid marable liquid cargo in bulk. ⁵	All vessels carrying carrying carrying lammable or flammable liquid cargo in bulk. ⁵
Method of	propulsion, qualified by size or other limitation. ¹	Column 1	(5) Sall, ¹³ vessels 500 gross tons.	(6) Sail,¹³ vessels >700 gross tons.

Table 90.05-1(a) (continued)

Method of		Vessels inspected and certificated under		Vessels subje	Vessels subject to the provisions of	isions of
propulsion, qualified by size or other limitation. ¹	Subchapter DTank Vessels. ²	Subchapter H-Passenger Vessels ^{2,3,4,and 5} or Subchapter K or T-Small Passenger Vessels. ^{2, and 4}	Subchapter I Cargo and Miscellaneous Vessels. ^{2 and 5}	Subchapter C Uninspected Vessels. 2. 3. 6. 7.	Subchapter U—Ocean- ographic Vessels. 3, 6, 7, and 9	Subchapter OCertain Bulk and Dangerous Cargoes.
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7
Steam, vessels vessels and vessels meters for the first firs	All vessels combustible or distribution of flammable inquiri cargo in bulk. ⁵	in All vessels carrying more than 12 passengers on an international voyage, except recreational vessels not engaged in trade. in All vessels < 100 gross tons that— A Carry more than 6 passengers-for-hire whether thated or not, or B) Carry more than 12 passengers when chartered with the Carry provided, or C) Carry more than 12 passengers when chartered with no crew provided, or D) Carry more than 12 passengers when chartered with no crew provided, or D) Carry more than 12 passengers when chartered with a Carry more than 12 passengers when chartered with the crew provided, or A) Carry more than 12 passengers when chartered with the crew provided, or C) Carry more than 12 passengers when chartered with no crew provided, or D) Carry at least 1 passenger-for-hire and is a submersible vessel. A) Recreational vessels not engaged in trade. A) Recreational vessels in dedition to the crew. C) Fishing vessels, not engaged in rade. B) Documented cargo or tank vessels issued a permit to carry if or lewer persons in addition to the crew. C) Fishing vessels, not engaged in rade. Service, may carry persons on the legitimate business of the vessel in addition to the crew, as restricted by the definition of passenger.	All tugboats and towords: All vessels carrying dangerous cargoes when required by 46 CFR Part 98.	All vessels not covered by columns 2. 3. 4, and 6.	None.	All vessels carying acagos in bulk hat are in
Steam, vessels > 19.8 meters (65 feet) in length.	All vessels carrying combustible or flammable liquid cargo in bulk.5	i) All vessels carrying more than 12 passengers on an international voyage, except recreational vessels not engaged in trade." iii) All vesselss < 100 gross tons that— A) Carry more than 6 passengers-for-hire whether chartered or not, or B) Carry more than 6 passengers when chartered with the	All vessels not covered by columns 2, 3, 6, and 7	None.	All vessels engaged in oceanographic research.	All vessels carrying cargoes in bulk that are listed in part 153, table 4, or part 154, table 4, or unlisted cargoes that would

Table 90.05-1(a) (continued)

sions of	Subchapter OCertain Bulk and Dangerous Cargoes.	Column 7	subject to these parts. ⁷²
Vessels subject to the provisions of-	Subchapter 9	Column 6	
Vessels subje	Subchapter C Uninspected Vessels. ^{2, 3, 6, 7,} and 8	Column 5	
	Subchapter I Cargo and Miscellaneous Vessels. ^{2 and 5}	Column 4	
Vessels inspected and certificated under-	Subchapter HPassenger Vessels ^{2, 3, 4, and 5} or Subchapter K or TSmall Passenger Vessels. ^{2, 3, and 4}	Column 3	crew provided, or crew provided, or crew provided, or crew provided, or any more than 12 passengers when chartered with no crew provided, or any more by a crew provided, or any crew provided, or any crew provided, or any more than 12 passengers-for-hire whether A) Carry more than 12 passengers when chartered with the crew provided, or B) Carry more than 12 passengers when chartered with no crew provided, or D) Carry and a teast 1 passenger when chartered with no crew provided, or D) Carry at least 1 passenger-for-hire and is a submersible vessel. or any for engaged in trade. A) Recreational vessels not engaged in trade. B) Documented cargo or tank vessels issued a permit to carry 16 or fewer pressons in engaged in cocan or coastwise service, may carry persons on the legitimate business of the vessel, in addition to the crew, as restricted by the definition of passenger.
-	Subchapter DTank Vessels. ²	Column 2	All vessels combustible or flammable liquid cargo in bulk.
Method of	propulsion, qualified by size or other limitation. ¹	Column 1	(B) Steam, vessels > 19.8 m elers (65 feet) in length.

Key to symbols used in this table: ≤ is less than or equal to, > is greater than, < is less than, and ≥ is greater than or equal to.

-optnotes

- 1 Where length is used in this table, it means the length measured from end to end over the deck, excluding sheer. This expression means a straight line measurement of the overall length from the foremost part of the vessel to the aftermost part of the vessel, measured parallel to the centerline.
- Appliances and Arrangements) of this chapter may also be applicable under certain conditions. The provisions of 49 CFR parts 171-179 apply whenever packaged hazardous materials are on board vessels (including motorboats), except when specifically exempted by law. 2 Subchapters E (Load Lines), F (Marine Engineering), J (Electrical Engineering), N (Dangerous Cargoes), S (Subdivision and Stability), and W (Lifesaving
- 3 Public nautical schoolships, other than vessels of the Navy and Coast Guard, must meet the requirements of part 167 of subchapter R (Nautical Schools) of this chapter, Civillan nautical schoolships, as defined by 46 U.S.C. 1331, must meet the requirements of subchapter H (Passenger Vessels) and part 168 of subchapter R (Nautical Schools) of this chapter.
- 4 Subchapter H (Passenger Vessels) of this chapter covers only those vessels of 100 gross tons or more, subchapter T (Small Passenger Vessels) of this chapter covers only those vessels of less than 100 gross tons, and subchapter K (Small Passenger Vessels) of this chapter covers only those vessels less than 100 gross tons carrying more than 150 passengers or overnight accommodations for more than 49 passengers.
- 5 Vessels covered by subchapter H (Passenger Vessels) or I (Cargo and Miscellaneous Vessels) of this chapter, where the principal purpose or use of the vessel is not for the carriage of liquid cargo, may be granted a permit to carry a limited amount of flammable or combustible liquid cargo in bulk. The portion of the vessel used for the carriage of the flammable or combustible liquid cargo must meet the requirements of subchapter D (Tank Vessels) in addition to the requirements of subchapter H (Passenger Vessels) or I (Cargo and Miscellaneous Vessels) of this chapter.
- 6 Any vessel on an international voyage is subject to the requirements of the International Convention for Safety of Life at Sea, 1974 (SOLAS).
- 7 The terms "passenger(s)" and "passenger(s)-for-hire" are as defined in 46 U.S.C. 2101(21)(21a). On oceanographic vessels, scientific personnel onboard shall not be deemed to be passengers nor seamen, but for calculations of lifesaving equipment, etc., must be counted as persons.
 - 8 Boilers and machinery are subject to examination on vessels over 40 feet in length.
- in oceanographic research, **** Under 46 U.S.C. 443, "an oceanographic research vessel shall not be deemed to be engaged in trade or commerce." If or when an oceanographic vessel engages in trade or commerce, such vessel cannot operate under its certificate of inspection as an oceanographic vessel, but shall be inspected and certificated for the service in which engaged, and the scientific personnel aboard then become persons employed in the business of the vessel. 9 Under 46 U.S.C. 441 and oceanographic research vessel ** * * being employed exclusively in instruction in oceanography or linmology, or both, or exclusively
 - 10 Bulk dangerous cargoes are cargoes specified in table 151.01-10(b); in table 1 of part 153, and in table 4 of part 154 of this chapter
- For manned tank barges, see § 151.01-10(c) of this chapter.
- See § 151.01-15, 153.900(d), or 154.30 of this chapter as appropriate.
- 3. Sail vessel means a vessel with no auxiliary machinery on board. If the vessel has auxiliary machinery, refer to motor vessels

[CGFR 65–50, 30 FR 16970, Dec. 30, 1965, as amended by CGFR 67–83, 33 FR 1109, Jan. 27, 1968; CGFR 70–10, 35 FR 3711, Feb. 25, 1970; CGD 73–96, 42 FR 49025, Sept. 26, 1977; CGD 77–042, 42 FR 63643, Dec. 19, 1977; CGD 86–033, 53 FR 36025, Sept. 16, 1988; CGD 86–033, 53 FR 46871, Nov. 21, 1988; CGD 90–008, 55 FR 30661, July 26, 1990; USCG–1999–5040, 67 FR 34792, May 15, 2002]

§ 90.05-5 Specific application noted in text.

(a) At the beginning of the various parts, subparts, and sections, a more specific application is generally given for the particular portion of the text involved. This application sets forth the types, sizes, or services or vessels to which the text pertains, and in many cases limits the application of the text to vessels contracted for before or after a specific date. As used in this subchapter, the term "vessels contracted for" includes not only the contracting for the construction of a vessel, but also the contracting for a material alteration to a vessel, the contracting for the conversion of a vessel to a cargo or miscellaneous vessel, and the changing of service or route of a vessel if such change increases or modifies the general requirements for the vessel or increases the hazards to which it might be subjected.

§ 90.05-7 Ocean or unlimited coastwise vessels on inland and Great Lakes

(a) Vessels inspected and certificated for ocean or unlimited coastwise routes shall be considered suitable for navigation insofar as the provisions of this subchapter are concerned on any inland routes, including the Great Lakes.

§ 90.05–10 Application to vessels on an international voyage.

- (a) Except for yachts and fishing vessels and as provided in paragraphs (b), (c), and (d) of this section, the regulations in this subchapter that apply to a vessel on an "international voyage" apply to a vessel that—
- (1) Is mechanically propelled and of at least 500 gross tons; and
 - (2) Is engaged on a vovage—
- (i) From a country to which the International Convention for Safety of Life at Sea, 1974, (SOLAS 74) applies, to a port outside that country or the reverse:
- (ii) From any territory, including the Commonwealth of Puerto Rico, all possessions of the United States and all lands held by the United States under a protectorate or mandate, whose international relations are the responsibility of a contracting SOLAS 74 government, or which is administered by

the United Nations, to a port outside the territory or the reverse; or

- (iii) Between the contiguous states of the United States and the states of Hawaii or Alaska or between the states of Hawaii and Alaska.
- (b) The regulations that apply to a vessel on an "international voyage" in this subchapter do not apply to ships engaged on a voyage solely on the Great Lakes and the St. Lawrence River as far east as a straight line drawn from Cap de Rosiers to West Point, Anticosti Island, the 63d Meridian:
- (c) The Commandant or his authorized representative may exempt any vessel on an international voyage from the requirements of this subchapter if the vessel—
- (1) Makes a single international voyage in exceptional circumstances; and
- (2) Meets safety requirements prescribed for the voyage by the Commandant.
- (d) The Commandant or his authorized representative may exempt any vessel from the construction requirements of this subchapter if the vessel does not proceed more than 20 nautical miles from the nearest land in the course of its voyage.

[CGD 72-131R, 38 FR 29320, Oct. 24, 1973, as amended by CGD 90-008, 55 FR 30661, July 26, 1990; CGD 84-069, 61 FR 25288, May 20, 1996]

§ 90.05-20 Applicability to offshore supply vessels.

- (a) Existing offshore supply vessels as defined by $\S90.10$ –40(b), if they are of 100 or more but of less than 500 gross tons, are subject to inspection under this subchapter. New offshore supply vessels as defined by $\S90.10$ –40(c), are subject to inspection under subchapter L of this chapter.
- (b) Each offshore supply vessel permitted grandfathering under paragraph (a) of this section must complete construction and have a Certificate of Inspection by March 16, 1998.

[CGD 82–004 and CGD 86–074, 62 FR 49321, Sept. 19, 1997]

$\S 90.05-25$ Seagoing barge.

(a) All nonself-propelled vessels of 100 gross tons and over that proceed on voyages on the high seas or ocean are

Coast Guard, DOT §90.10–9

subject to inspection and certification as seagoing barges.

(b) In applying the laws and regulations to manned seagoing barges, one criterion for invocation of safety standards is the description of seagoing barges by relative size in gross tons. When it is determined by the Commandant that the gross register tonnage for a particular manned seagoing barge, which is attained by exemptions, reductions, or other devices in the basic gross tonnage formulation, will circumvent or be incompatible with the application of specific safety requirements in the regulations in this subchapter for a manned seagoing barge of such physical size, the Commandant shall prescribe the regulations to be made applicable to such seagoing barge. When the Commandant determines that the gross register tonnage is not a valid criterion for the invocation of safety requirements based on relative size, the parties involved will be informed of the determination and of the regulations applicable to such manner seagoing barges, and before being permitted to operate such seagoing barges, compliance therewith shall be required. Endorsements or notations on the seagoing barge's certificate of inspection may be made as appropriate.

§ 90.05–35 Flammable and combustible liquid cargo in bulk.

NOTE: Requirements for double hull construction for vessels carrying oil, as defined in 33 CFR 157.03, in bulk as cargo are found in 33 CFR 157.10d.

Vessels inspected and certificated under this subchapter may carry limited quantities of flammable and combustible liquid cargo in bulk in the grades indicated, provided the Certificate of Inspection is endorsed to permit such carriage:

- (a) Cargo vessels:
- (1) Grades D and E in an integral tank: and
- (2) Grades D and E and certain specifically named Grade C in a portable tank, including a marine portable tank (MPT), in accordance with subpart 98.30 or 98.33 of this subchapter.
- (b) Miscellaneous Vessels, such as cable, salvage, pile-driving, and oil-drilling-rig vessels:

(1) Grades B, C, D, and E in a fixed independent or integral tank authorized by the commandant;

(2) Grades D and E and certain specifically named Grade C in a portable tank, including an MPT, in accordance with subpart 98.30 or 98.33 of this subchapter.

[CGD 84-043, 55 FR 37410, Sept. 11, 1990, as amended by CGD 90-051, 57 FR 362146, Aug. 12, 1992]

Subpart 90.10—Definition of Terms Used in This Subchapter

§ 90.10-1 Anniversary date.

The term *anniversary date* means the day and the month of each year, which corresponds to the date of expiration of the Certificate of Inspection.

[USCG 1999-4976, 65 FR 6501, Feb. 9, 2000]

§ 90.10-2 Approved.

This term means approved by the Commandant unless otherwise stated.

[CGFR 65-50, 30 FR 16974, Dec. 30, 1965. Redesignated by USCG 1999-4976, 65 FR 6501, Feb. 9,

§ 90.10-3 Barge.

This term means any nonself-propelled vessel.

[CGFR 65-50, 30 FR 16974, Dec. 30, 1965. Redesignated by USCG 1999-4976, 65 FR 6501, Feb. 9, 2000]

§ 90.10-5 Carrying freight for hire.

The carriage of any goods, wares, or merchandise or any other freight for a valuable consideration whether directly or indirectly flowing to the owner, charterer, operator, agent, or any other person interested in the vessel.

§ 90.10-7 Commandant.

This term means the Commandant of the Coast Guard.

§ 90.10-9 Coast Guard District Com-

This term means an officer of the Coast Guard designated as such by the Commandant to command all Coast Guard activities within the officer's district, which include the inspection, enforcement, and administration of

46 CFR Ch. I (10-1-02 Edition)

§ 90.10-11

Subtitle II of Title 46, U.S. Code, Title 46 and Title 33 U.S. Code, and regulations issued under these statutes.

[CGD 95-028, 62 FR 51205, Sept. 30, 1997]

§ 90.10-11 Coastwise.

Under this designation shall be included all vessels normally navigating the waters of any ocean or the Gulf of Mexico 20 nautical miles or less offshore.

§ 90.10-12 Gas free.

This term means free from dangerous concentrations of flammable or toxic gases.

§ 90.10-13 Great Lakes.

Under this designation shall be included all vessels navigating the Great Lakes

§ 90.10-14 Headquarters.

This term means the Office of the Commandant, U.S. Coast Guard, Washington, DC 20593-0001.

[CGFR 67-90, 33 FR 1015, Jan. 26, 1968, as amended by CGD 88-070, 53 FR 34534, Sept. 7, 1988]

§ 90.10-15 Industrial personnel.

This term means every person carried on board an industrial vessel for the sole purpose of carrying out the industrial business or functions of the industrial vessel. Examples of industrial personnel include tradesmen, such as mechanics, plumbers, electricians, and welders; laborers, such as wreckers and construction workers; and other persons, such as supervisors, engineers, technicians, drilling personnel, and divers.

[CGFR 67-90, 33 FR 1015, Jan. 26, 1968]

§ 90.10-16 Industrial vessel.

This term means every vessel which by reason of its special outfit, purpose, design, or function engages in certain industrial ventures. Included in this classification are such vessels as drill rigs, missile range ships, dredges, cable layers, derrick barges, pipe lay barges, construction and wrecking barges. Excluded from this classification are vessels carrying freight for hire or en-

gaged in oceanography, limnology, or the fishing industry.

[CGFR 67-90, 33 FR 1015, Jan. 26, 1968]

§ 90.10-19 Lakes, bays, and sounds.

Under this designation shall be included all vessels navigating the waters of any of the lakes, bays, or sounds other than the waters of the Great Lakes.

§ 90.10-20 Liftboat.

Liftboat means an offshore supply vessel with moveable legs capable of raising it's hull above the surface of the sea.

[CGD 82-004a, 55 FR 2525, Jan. 25, 1990]

§ 90.10-21 Marine inspector or inspector.

These terms mean any person from the civilian or military branch of the Coast Guard assigned under the superintendence and direction of an Officer in Charge, Marine Inspection, or any other person as may be designated for the performance of duties with respect to inspection, enforcement, and administration of Subtitle II of Title 46, U.S. Code, Title 46 and Title 33 U.S. Code, and regulations issued under these statutes

[CGD 95-028, 62 FR 51205, Sept. 30, 1997]

§ 90.10-23 Motorboat.

This term means any vessel indicated in Column 5 of table 90.05–1(a) 65 feet in length or less which is propelled by machinery (including steam). The length shall be measured from end to end over the deck excluding sheer. This term includes a boat temporarily or permanently equipped with a detachable motor. For the purpose of this subchapter, motorboats are included under the term "vessel" unless specifically noted otherwise. The various classes of motorboats are as follows:

Class A—Any motorboat less than 16 feet in length.

Class 1—Any motorboat 16 feet or over and less than 26 feet in length.

Class 2—Any motorboat 26 feet or over and less than 40 feet in length.

Coast Guard, DOT §90.10–38

Class 3—Any motorboat 40 feet or over and not more than 65 feet in length.

[CGFR 65-50, 30 FR 16970, Dec. 30, 1965, as amended by CGD 95-028, 62 FR 51205, Sept. 30, 1997]

§ 90.10-25 Ocean.

Under this designation shall be included all vessels navigating the waters of any ocean or the Gulf of Mexico more than 20 nautical miles offshore.

§ 90.10-27 Officer in Charge, Marine Inspection (OCMI).

This term means any person from the civilian or military branch of the Coast Guard designated as such by the Commandant and who, under the superintendence and direction of the Coast Guard District Commander, is in charge of an inspection zone for the performance of duties with respect to the inspections, enforcement, and administration of Subtitle II of Title 46, U.S. Code, Title 46 and Title 33 U.S. Code, and regulations issued under these statutes.

[CGD 95-028, 62 FR 51205, Sept. 30, 1997]

§ 90.10-29 Passenger.

- (a) The term passenger means—
- (1) On an international voyage, every person other than—
- (i) The master and the members of the crew or other persons employed or engaged in any capacity on board a vessel on the business of that vessel; and
 - (ii) A child under 1 year of age.
- (2) On other than an international voyage, an individual carried on the vessel, except—
- (i) The owner or an individual representative of the owner or, in the case of a vessel under charter, an individual charterer or individual representative of the charterer:
 - (ii) The master; or
- (iii) A member of the crew engaged in the business of the vessel who has not contributed consideration for carriage and who is paid for onboard services.
- (b) The term passenger for hire means a passenger for whom consideration is contributed as a condition of carriage on the vessel, whether directly or indirectly flowing to the owner, charterer,

operator, agent, or any other person having an interest in the vessel.

[CGD 84-069, 61 FR 25288, May 20, 1996]

§ 90.10-30 Pilot boarding equipment and point of access.

- (a) Pilot Boarding Equipment means a pilot ladder, accommodation ladder, pilot hoist, or combination of them as required by this subchapter.
- (b) *Point of Access* means the place on deck of a vessel where a person steps onto or off of pilot boarding equipment.

[CGD 79-032, 49 FR 25455, June 21, 1984]

§ 90.10-33 Rivers.

Under this designation shall be included all vessels whose navigation is restricted to rivers and/or canals exclusively, and to such other waters as may be so designated by the Coast Guard District Commander.

§ 90.10-35 Recognized classification society.

The term recognized classification society means the American Bureau of Shipping or other classification society recognized by the Commandant.

§ 90.10-36 Seagoing barge.

A seagoing barge is a nonself-propelled vessel of at least 100 gross tons making voyages beyond the Boundary Line (as defined in 46 CFR part 7). The phrase nonself-propelled vessel means a vessel without sufficient means for self-propulsion and is required to be towed.

[CGFR 65-50, 30 FR 16970, Dec. 30, 1965, as amended by CGD 95-028, 62 FR 51206, Sept. 30, 1997]

§ 90.10-37 Vessel.

Where the word *vessel* is used in this subchapter, it shall be considered to include all vessels indicated in Column 5 of Table 90.05–1(a), except as otherwise noted in this subpart.

§ 90.10-38 Specially suitable for vehicles.

A space which is *specially suitable for vehicles* is one designed for the carriage of automobiles or other self-propelled vehicles with batteries connected and fuel tanks containing gasoline on vessels on ocean or unlimited coastwise

§ 90.10-40

voyages. Requirements for the design and protection of spaces "specially suitable for vehicles" appear in subparts 92.15, 95.05, 95.15, 96.05, 97.36, 97.37, and 97.80 of this subchapter. In addition, preparation of automobiles prior to carriage, with the exception of disconnecting battery cables, must be in accordance with the applicable provisions of 49 CFR 176.905.

[CGFR 66–33, 31 FR 15284, Dec. 5, 1966, as amended by CGD 86–033, 53 FR 36025, Sept. 16, 1988]

§ 90.10-40 Offshore supply vessels.

- (a) An offshore supply vessel is a vessel that is propelled by machinery other than steam, that is of 15 gross tons and less than 500 gross tons (as measured under the Standard, Dual, or Simplified Measurement System under part 69, subpart C, D, or E, of this chapter) or is less than 6,000 gross tons (as measured under the Convention Measurement System under part 69, subpart B, of this chapter) and that regularly carries goods, supplies or equipment in support of exploration, exploitation, or production of offshore mineral or energy resources.
- (b) An existing offshore supply vessel is one contracted for, or the keel of which was laid, before March 15, 1996.
- (c) A new offshore supply vessel is one—
- (1) That was contracted for, or the keel of which was laid, on or after March 15, 1996; or
- (2) That underwent a major conversion initiated on or after March 15,

[CGD 82–004 and CGD 86–074, 62 FR 49321, Sept. 19, 1997]

§ 90.10-42 Tankerman.

The following ratings are established in part 13 of this chapter. The terms for the ratings identify persons holding valid merchant mariners' documents for service in the ratings issued under that part:

- (a) Tankerman-PIC.
- (b) Tankerman-PIC (Barge).
- (c) Restricted Tankerman-PIC.
- (d) Restricted Tankerman-PIC (Barge)
 - (e) Tankerman-Assistant.

(f) Tankerman-Engineer.

[CGD 79-116, 60 FR 17157, Apr. 4, 1995]

Subpart 90.15—Equivalents

§ 90.15-1 Conditions under which equivalents may be used.

- (a) Where in this subchapter it is provided that a particular fitting, material, appliance, apparatus, or equipment, or type thereof, shall be fitted or carried in a vessel, or that any particular provision shall be made or arrangement shall be adopted, the Commandant may accept in substitution therefor any other fitting, material, apparatus, or equipment, or type thereof, or any other arrangement: Provided. That he shall have been satisfied by suitable trials that the fitting, material, appliance, apparatus, or equipment, or type thereof, or the provision or arrangement is at least as effective as that specified in this subchapter.
- (b) In any case where it is shown to the satisfaction of the Commandant that the use of any particular equipment, apparatus, or arrangement not specifically required by law is unreasonable or impracticable, the Commandant may permit the use of alternate equipment, apparatus, or arrangement to such an extent and upon such conditions as will insure, to his satisfaction, a degree of safety consistent with the minimum standards set forth in this subchapter.

Subpart 90.20—General Marine Engineering Requirements

§ 90.20-1 Marine engineering details.

(a) All marine engineering details such as piping, valves, fittings, boilers, pressure vessels, etc., and their appurtenances installed on the vessel, shall be designed, constructed, and installed in accordance with the provisions of subchapter F (Marine Engineering) of this chapter.

Subpart 90.25—General Electrical Engineering Requirements

§ 90.25-1 Electrical engineering details.

(a) All electrical engineering details and installations shall be designed and Coast Guard, DOT Pt. 91

installed in accordance with subchapter J (Electrical Engineering) of this chapter.

Subpart 90.27—Lifesaving Appliances and Arrangements

§ 90.27-1 Lifesaving appliances and arrangements.

All lifesaving appliances and arrangements must be in accordance with subchapter W (Lifesaving Appliances and Arrangements) of this chapter.

[CGD 84-069, 61 FR 25288, May 20, 1996]

Subpart 90.35—American Bureau of Shipping's Standards

§ 90.35-1 Standards to be used.

(a) Where in this subchapter an item, or method of construction, or testing is required to meet the standards established by the American Bureau of Shipping, the current standards in effect at the time of construction of the vessel, or otherwise as applicable, shall be used. The current standards of other recognized classification societies may also be accepted upon approval by the Commandant.

$\S 90.35-5$ Where obtainable.

(a) The standards established by the American Bureau of Shipping are usually published annually and may be purchased from the American Bureau of Shipping, ABS Plaza, 16855 Northchase Drive, Houston, TX 77060. These standards may be also examined at the Office of the Commandant (G—M), U.S. Coast Guard, Washington, DC 20593-0001, or at the Office of any Coast Guard District Commander or Officer in Charge, Marine Inspection.

[CGFR 65-50, 30 FR 1697, Dec. 30, 1965, as amended by CGFR 68-32, 33 FR 5718, Apr. 12, 1968; CGD 88-070, 53 FR 34534, Sept. 7, 1988; CGD 88-070, 53 FR 37570, Sept. 27, 1988; CGD 88-070, 53 FR 44011, Nov. 1, 1988; CGD 95-072, 60 FR 50464, Sept. 29, 1995; 60 FR 54106, Oct. 19, 1995; USCG-2000-7790, 65 FR 58461, Sept. 29, 20001

PART 91—INSPECTION AND CERTIFICATION

Subpart 91.01—Certificate of Inspection

Sec

91.01-1 When required.

91.01-5 Posting.

91.01-10 Period of validity for a Certificate of Inspection.

91.01–15 Temporary certificate.

91.01-20 Expired certificate.

91.01–25 Emergency carriage of more than 16 persons in addition to the crew on vessels not engaged in international voyages.

Subpart 91.05—Permit to Proceed to Another Port for Repair

91.05-1 When issued.

91.05–5 To whom issued.

91.05-10 Conditions of permit.

91.05-15 Posting.

Subpart 91.15—Inspection of Vessels

91.15-1 Standards in inspection of hulls, boilers, and machinery.

91.15-5 Alternate compliance.

Subpart 91.20—Initial Inspection

91.20–1 Prerequisite of certificate of inspection.

91.20-5 When made.

91.20–10 Plans.

91.20-15 Scope of inspection.

91.20–20 Specific tests and inspections.

Subpart 91.25—Inspection for Certification

91.25-1 Prerequisite of reissuance of certificate of inspection.

91.25–5 Application for a Certificate of Inspection.

91.25–10 Scope of inspection.

91.25-15 Lifesaving equipment.

91.25-20 Fire-extinguishing equipment.

91.25-25 Hull equipment.

91.25–30 Electrical engineering equipment.

91.25–35 Marine engineering equipment.

91.25–37 Tanks containing dangerous cargoes.

91.25-38 Pollution prevention.

91.25-40 Sanitary inspection.

91.25-45 Fire hazards.

91.25-50 Inspector not limited.

Subpart 91.27—Annual and Periodic Inspections

91.27-1 Annual and periodic inspections.

91.27-5 Certificate of Inspection: Conditions of validity.

91.27–13 Alternative annual inspection for offshore supply vessels less than 400 gross tons in foreign ports.